Model-based Hyperspectral Exploitation Algorithm Development

Dr. John Schott Rochester Institute of Technology 54 Lomb Memorial Drive Rochester, NY 14623

phone: (585) 475-5170 fax: (585) 475-5988 email: schott@cis.rit.edu

Dr. Glenn Healey University of California, Irvine The Henri Samueli School of Engineering Irvine, California 92697-2625

phone: (949) 824-7104 fax: (949) 824-2321 email: healey@ece.uci.edu

Dr. William Philpot Cornell University 453 Hollister Hall Ithaca, NY 14853

phone: (607) 255-0801 fax: (607) 255-9004 email: wdp2@cornell.edu

Award Number: N00014-01-1-0867

LONG-TERM GOALS

Hyperspectral data is becoming a critical tool for military planners. The capture of fine spectral information enables the generation of information products, which could not be produced using traditional imaging means. The challenge facing the insertion of hyperspectral technology, as an operational capability, is with conversion of the raw sensor data into a useful information product that is accurate and reliable. The long-term goal of this project is to develop a new generation of hyperspectral processing techniques that result in the production of valuable information products.

OBJECTIVES

The objectives of this project are to develop hyperspectral-processing techniques that incorporate physics-based processing techniques in the following application areas:

- Water quality and biological activity (littoral zone)
- Material classification and identification
- Atmospheric parameter retrieval/correction
- Gaseous effluent detection and quantification

The output of this project will be processed data sets and, in some cases, information products that demonstrate what is feasible.

Report Documentation Page				Form Approved OMB No. 0704-0188		
maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to completing and reviewing the collect this burden, to Washington Headquuld be aware that notwithstanding ar DMB control number.	ion of information. Send comments arters Services, Directorate for Info	regarding this burden estimate or ormation Operations and Reports	or any other aspect of th , 1215 Jefferson Davis l	is collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE 30 SEP 2002	A DEDORT TYPE			3. DATES COVERED 00-00-2002 to 00-00-2002		
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
Model-based Hype	on Algorithm Deve	lopment	5b. GRANT NUMBER			
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Rochester Institute of Technology,,54 Lomb Memorial Drive,,Rochester,,NY, 14623				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)				
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release; distributi	on unlimited				
13. SUPPLEMENTARY NOTES						
information enable imaging means. The capability, is with or reliable. The long-to-	a is becoming a critices the generation of it be challenge facing the conversion of the rate term goal of this production	information produc he insertion of hypo w sensor data into a ject is to develop a	ets, which could no erspectral technolo a useful information new generation of	ot be produce ogy, as an ope on product th	ed using traditional erational aat is accurate and	
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC	17. LIMITATION OF	18. NUMBER	19a. NAME OF			
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	OF PAGES 6	RESPONSIBLE PERSON	

Report (SAR)

APPROACH

Traditional approaches for processing hyperspectral data have largely focused on the use of statistical tools to process a hypercube, with little regard for other data that may describe the physical phenomena under which the data was collected. The RIT MURI research team has been developing physics-based models that enable the environment, under which remotely sensed data is collected, to be better described (Schott 2000). Under this MURI project, we are using these physics-based models, along with statistical processing techniques to evaluate the effectiveness of this approach for processing hyperspectral data sets.

Key individuals that make up the RIT MURI research team include:

- Dr. John Schott [RIT] Principal Investigator overseeing the project research activities.
- Dr. Glenn Healey [UC, Irvine] Developing invariant algorithm approaches and specific applications for material identification.
- Dr. William Philpot [Cornell University] Developing techniques for modeling the inherent optical properties of water and supporting the littoral zone modeling.

WORK COMPLETED

The RIT MURI team has just completed its first year of research activity. The first year has focused on definition of the underlying phenomenology and development of physics-based models for each application area. In several application areas, hyperspectral data sets have been processed.

RESULTS

The following is a summary of key results by application area:

- Water quality and biological activity (littoral zone). This year's effort focused on refinement of a method to use on in-water radiative transfer code, Hydrolite (c.f. Mobley 1995) and on atmospheric propagation code (Modtran) (c.f. Berk et al. 1989) to generate remotely sensed spectral reflectance as a function of the primary coloring agents. These concentrations are then recovered on a per pixel basis using a model matching and inversion routine (c.f. Raqueno et al. 2001).
- open water model-based-model-match algorithm implemented and tested to determine in-water constituents from LEO-15 data set.




Figure 1: Processed LEO-15 Data Set, CHL vs. TSS estimates.

- Atmospheric parameter retrieval and correction
- initial TIR atmospheric characterization algorithm implemented to yield per pixel atmospheric profiles, temperature and water vapor, and surface temperature.
- Gaseous effluent detection and quantification
- stack plume model implemented with enhanced in-plume radiative transfer
- initial gas detection algorithm approach identified




Figure 2: Physics-based DIRSIG simulation of a gaussian plume model and a simplified background.

- Material classification and identification
- algorithm developed to take advantage of 3D spatial/spectral models
- subpixel invariant algorithm developed and initial results promising (c.f. Lee 2002).



Figure 3: UCI Invariant Algorithm applied to a HYDICE scene with hidden panels accurately identified.

IMPACT/APPLICATIONS

The RIT MURI Team believes that this research work can have a significant impact in how hyperspectral data is process and how the resulting information products are generated. The invariant algorithm research is already showing promise in reducing false alarms under varying collection conditions. The water modeling activity is showing promise for a more accurate representation of shallow water optical conditions, thus allowing more accurate detection of objects in the water.

TRANSITIONS

RIT recently initiated a research project with the National Imagery and Mapping Agency that involves the implementation of algorithms into an ENVI software environment. One of the algorithms developed under this program has already been identified as a candidate algorithm for implementation under this NIMA effort.

RELATED PROJECTS

- NIMA University Research Initiative (NURI) RIT project that involves the implementation of advanced hyperspectral algorithms into an ENVI software environment and then conducting robustness testing to evaluate performance. This project started June 2002.
- Army Research Organization (ARO) Multidisciplinary University Research Initiative (MURI) RIT is on a research team led by Georgia Institute of Technology to develop multi and hyperspectral processing techniques for tactical sensors (UAV and helicopter platforms). RIT's role will be in the generation of physics-based models using DIRSIG. This project will start October 2002.

REFERENCES

Berk, A., L.S. Bernstein, D.C. Robertson, "MODTRAN: a moderate resolution model for LOWTRAN 7, GL-TR-89-0122 Spectral Science, Burlington, MA 1989.

Mobley, Curtis D. "Hydrolight 3.0 User's Guide", SRI International, SRI Project Number 5632 Final Report, Office of Naval Research Contract number N00014-94-C-0062, Menlo Park, CA, 65 pages, March 1995.

Schott, J.R., "Combining image derived spectra and physics based models for hyperspectral image exploitation," AIPR/SPIE Workshop, Washington DC, October 2000.

Raqueño, R., Simmons, R., Fairbanks, R., and Schott, J., "A model-based approach to hyperspectral analysis of water constituents," Presented at AVIRIS Earth Science and Application Workshop, February 2001.

Lee, K., "A Subpixel Scale Target Detection Algorithm for Hyperspectral Imagery", Ph.D. Dissertation, Rochester Institute of Technology, Center for Imaging Science, 2002.

PUBLICATIONS

Schott, J.R., Brown, S.D., and Richardson, M.J., "The Role of Physical Modeling and Scene Simulation in Support of Space Based Remote Sensing," Proceedings of Core Technologies for Space Systems, Colorado, November 2001.

Schott, J.R., and Barsi, J.A., (in press). Radiometry for Remote Sensing. In R. Diggers & E. Lichtenstein (Eds). Encyclopedia of Optical Engineering. United States: Marcel Dekker, Inc.

Simmons, R.E., Vermillion, S., Coss, J., Schott, J.R., Raqueno, R., Raqueno, N.G., Vodacek, A., Fairbanks, R., Goodenough, A., "Water Quality Monitoring with Hyperspectral Imaging," (submitted to Photogrammetric Engineering and Remote Sensing).